



Product Service

CERTIFICATE

No. Z1A 090361 0042 Rev. 00

Holder of Certificate: **Kinnarps AB**

Industrigatan 1
521 88 Kinnarp
SWEDEN

Certification Mark:



Product:

Swivel Chairs
Office work chairs

Tested according to:

DIN EN 1335-1:2023
DIN EN 1335-2:2019
PPP 51054D:2023
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713299358

Valid until: 2025-10-19

Date, 2023-08-16

(Jens Biesenack)

CERTIFICATE

No. Z1A 090361 0042 Rev. 00

Model(s): **Esencia**
(D-1075-DG , D-1075-DGLF, D-1075-DGLM)

Parameters:

Type overview	Esencia D-1075-DG: without armrest Esencia D-1075-DGLF: with 2D armrest Esencia D-1075-DGLM: with 5D armrest
Seat	Upholstered, adjustable in height and depth, synchron mechanism
Seat height adjustment	404 – 535 mm By gas spring S.C. Stabilus Romania S.R.L. Tube type: Stabomat D; Material 010618; Wall thickness: 2.5 mm; Surface: plasma nitrified
Seat depth	460 – 520 mm
Backrest	Upholstered with 3D mesh, adjustable in height, with optional headrest
Headrest	Optional
Backrest height	612 mm
Backrest width	480 mm
Armrest (optional)	Plastic frame and armrest pad, 2D or 5D armrest
Distance between armrests	365 – 488 mm (2D) 370 – 520 mm (5D)
Armrest height	185 – 280 mm (2D) 178 – 278 mm (5D)
Armrest length	110 mm
Base	Plastic or aluminium
Maximum offset of the underframe	405 mm
Swivel chair type	Type C (according to DIN EN 1335-1:2023)